I. Namb		Search Text		 	Time Scamp	
	9352	hemoglobin		MSPAT	100.3754±63	13:13
?	541	hemoglobin.ab.		USFAT	2003/04/03	13:13
.*	395482	H 1 2 1 H		TSFAT	1.013/04/13	13:13
4	152	hemoglobin.ab. and	#11 to 1	USPAT	2003/04/03	13:13
	1132			USFAT	2003/04/03	13:14
r	4	hemoglabin.ab. and	114.31m.	TSPAT	111.504713	13:14

09/986666 File 5:Biosis Previews(R) 1969-2003/Mar W5 (c) 2003 BIOSIS *File 5: Alert feature enhanced for multiple files, duplicates removal, customized scheduling. See HELP ALERT. Set Items Description ___ _____ S1 48413 HEMOGLOBIN S2 42124 105 312 S1 AND S2 S3 S4 588127 BETA 48 S3 AND S4 188 BETA(3W)105 S5 S6 2 S1 AND S6 S7 ? t s7/7/1-27/7/1 DIALOG(R) File 5:Biosis Previews(R) (c) 2003 BIOSIS. All rts. reserv. BIOSIS NO.: 199598069680 09614762 A new anti-lepore %%%hemoglobin%%%, Hb P India (%%%beta%%%-87-delta-%%%105%%%), found in coincidence with a C fwdarw G substitution at position 162 of IVS-2 in both the delta and beta-delta genes, questions on the genetic mechanisms leading to Hbs Lepore and anti-Lepore. AUTHOR: Prehu M-O; Prehu C; Goossens M; Galacteros F; Wajcman H AUTHOR ADDRESS: Serv. Biochim. INSERM U91, Hop. Henri Mondor, 94010 Creteil**France JOURNAL: Blood 84 (10 SUPPL. 1):p261A 1994 CONFERENCE/MEETING: Abstracts Submitted to the 36th Annual Meeting of the American Society of Hematology Nashville, Tennessee, USA December 2-6, 1994 ISSN: 0006-4971 RECORD TYPE: Citation LANGUAGE: English 7/7/2 DIALOG(R)File 5:Biosis Previews(F) (c) 2003 BIOSIS. All rts. reserv. 07278639 BIOSIS NO.: 000090058526 HB SOUTH MILWAUKEE %%%BETA%%%-%%%%105%%% G7 LEU PHE A NEWLY-IDENTIFIED %%%HEMOGLOBIN%%% VARIANT WITH HIGH OXYGEN AFFINITY AUTHOR: HONIG G R; VIDA L N; LATORRACA R; DIVGI A B AUTHOR ADDRESS: DEP. PEDIATR., UNIV. ILLINOIS COLL. MED., 840 S. WOOD ST., CHICAGO, ILL. 60612. JOURNAL: AM J HEMATOL 34 (3). 1990. 199-203. 1990 FULL JOURNAL NAME: American Journal of Hematology CODEN: AJHED ינים של האולי השליים של השובה האומים

leftward snifted while blod layuen equilibrium curves. Five if the

affected family members have required phlebotomies for relief of symptoms attributable to erythrocytosis. An abnormal %%%hemoglobin%%% or globin chain could not be isolated, but 43% of the .beta. chains of the affected individuals contained a leu .fwdarw. Phe substitution at position 105 (G7). Oxygen equilibrium curves demonstrated a normal Bohr effect decreased cooperatively.

? log y

03apr03 13:26:31 User217744 Session D810.3 \$4.50 0.803 DialUnits File5

\$3.50 2 Type(s) in Format 7

\$3.50 2 Types

\$8.00 Estimated cost File5

\$0.70 TELNET \$8.70 Estimated cost this search

\$8.71 Estimated total session cost 1.050 DialUnits

Logoff: level 02.12.60 D 13:26:31